

BD is on your side with Vascular Access Management — so you can be there for your patients



## Pursue your mission to improve patient outcomes

Reducing complications and improving patient care



### Putting patient safety first

#### Supporting patient care

In developed countries, hospital acquired infections (HAIs) concerns 5 -15% of hospitalised patients and can affect up to 37% of those admitted to intensive care units (ICUs).<sup>1</sup>

Catheter-related bloodstream infections (CRBSIs) are the most common bloodstream infections, accounting for 11% of all HAIs.<sup>2</sup>

We can work with you to bring those numbers down using the BD Vascular Access Management solution.



**Up to 50%** of initial vascular access need to be removed prematurely due to complications<sup>3,4</sup>



Catheter-related infection is associated with a significantly increased risk of death, supporting the use of extensive efforts to reduce these infections.<sup>5</sup>



Mitigating the risks of HAIs is the very purpose of an ongoing VAM solution.

#### Supporting clinicians

Vascular access complications also impact clinicians, through increased stress, decreased efficiency, needlestick injuries and blood exposure risks, reducing confidence in their clinical skills.



You understand the benefits of a dedicated vascular access team and its role in tackling device related complications and improving patient satisfaction.

We can help your team go even further by providing advanced Vascular Access Management skills training and practice-versus-guidelines service to meet your needs, including:



Clinical evidence and expert forums



Innovative products and technology to help reduce VAM complications



Develop vascular access practices to increase patient safety and operational efficiency



Monitor vascular access complications



Assessing your clinical practice versus best practice standards



Advanced clinical training. Hands-on and theoretical field sessions, **E-learning programmes**  Make the most of your investment with device choice and best practice training

Helping your teams to effectively utilise our products and technologies with our comprehensive clinical expertise, training and support to help product introduction and advance clinical practice.

Improve your clinical and economic outcomes with practice assessments, training and education

Our clinical consultants review your policies and procedures, and assess those against evidence-based guidelines. Then provide customised recommendations to implement and maintain evidence-based best practices that will:

- Advance clinical skills and knowledge in Vascular Access Management
- Standardise best practice across care settings
- Leverage compliance to the latest national/international best practice guidelines



Empowering teams.

Driving clinical excellence.

4

## Enabling support for patients and clinicians every step of the way

#### The Care Continuum

The BD VAM Care Continuum shows every stage in vascular access from device selection, skin preparation, and placement, to care and maintenance. BD offers products and expertise to help during every step of the way.

## Select Prepare Place Maintain Secure Connect

#### Utilising innovative vascular access devices

The right device. Successfully placed. On the first try.





## Effective skin preparation

After proper hand hygiene, the first and simplest step in safeguarding patients and reducing infection risk complications is to perform an effective skin disinfection prior to puncture or incision.

Traditional manual skin preparation techniques expose patients to more risk than necessary, particularly when HAIs are eminently preventable.<sup>6</sup>

Our products help your clinicians eliminate direct hand-to-patient contact, prevent cross contamination risks and promote the best practice standards in skin antisepsis.

## Improving catheter placement and protection

Our large vascular access devices portfolio is designed to increase first stick success and compliance with best practices and cost effective procedures.

Patient and clinician safety is at the core of every step of the VAD placement.

Our VAD protection solutions: securement systems and dressings can help reduce catheter complications such as dislodgement, mechanical phlebitis or microbial contamination.

### Safely accessing the line

We have developed products with the aim to protect clinicians and patients by preventing needlestick injuries and contaminations.

Indeed, our wide needle-free connectors portfolio, with various technologies and designs, help your clinicians prevent healthcare associated bloodstream infections.

# Preventing complications by improving care and maintenance

Maintaining catheter patency and preventing CLABSIs are central goals in vascular access management.

Our flushing and locking solutions are designed to help you reduce vascular access complications, enhance the standard of patient care, improve workflow and cost savings.

#### References:

- A brief synopsis on patient safety. World Health Organization Regional Office for Europe website. http://www.euro.who.int/\_\_data/assets/ pdf\_file/0015/111507/E93833.pdf. Published 2010. Accessed February 7, 2019.] The additional cost of catheter-related infections per patient is estimated to be up to £6,209. [National Audit Office. The management and control of hospital-acquired infection in Acute NHS Trusts in England. London: The Stationery Office; 2000.
- 2. European Centre for Disease Prevention and Control. Surveillance report. Point prevalence survey of healthcare associated infections and antimicrobial use in European acute care hospitals 2011–2012. page 41 Stockholm: European Centre for Disease Prevention and Control; 2013.
- 3. Helm RE, Klausner JD, Klemperer JD, Flint LM, Huang E. Accepted but unacceptable: peripheral IV catheter failure. J Infus Nurs. 2015;38(3):189-203.
- 4. Wallis MC, McGrail M, Webster J, et al. Risk factors for peripheral intravenous catheter failure: a multivariated analysis of data from a randomized controlled trial. Infect Control Hosp Epidemol. 2014;35(1):63-68.
- 5. Ziegler MJ, Pellegrini DC, Safdar N. Attributable mortality of central line associated bloodstream infection: systematic review and meta-analysis. Infection. 2015;43(1):29-36.
- 6. Ban KA, Minei JP, Laronga C, et al. American College of Surgeons and Surgical Infection Society: surgical site infection guidelines, 2016 update. Page 65.



BD Switzerland Sàrl, Terre Bonne Park – A4 Route de Crassier 17, 1262 Eysins, Switzerland



